


Kristina L. Cockle and Kathy Martin. 2014. Temporal dynamics of a commensal network of cavity-nesting vertebrates: increased diversity during an insect outbreak. *Ecology* xx:xx-xx. <http://dx.doi.org/10.1890/14-1256.1>

Appendix C. Fourteen annual networks of cavity-nesting vertebrates, 1998–2011.

FIG. C1 (below). Networks of excavators and secondary cavity-nesters for each of the 14 years of the study from 1998 to 2011. Links (gray lines) connect secondary cavity-nesters (blue and green boxes, top row) to the species that produced their nesting cavities (red to yellow boxes, bottom row). Width of boxes and lines represents the number of nests in the sample.

1998


Secondary cavity-nesters



Cavity producers

1999


Secondary cavity-nesters



Cavity producers

2000


Secondary cavity-nesters



Cavity producers

2001


Secondary cavity-nesters



Cavity producers


2002

Secondary cavity-nesters



2003


Secondary cavity-nesters



Cavity producers


2004

Secondary cavity-nesters




2005

Secondary cavity-nesters




2006

Secondary cavity-nesters




2007

Secondary cavity-nesters



2008


Secondary cavity-nesters



Cavity producers


2009

Secondary cavity-nesters




2010

Secondary cavity-nesters



2011

Secondary cavity-nesters



Cavity producers